



NUT

Performance Features:

Nominal Impedance: 50Ω
 Frequency Range: DC-18GHz
 VSWR: DC-18GHz... 1.15:1 (Max)

Materials/Finishes:

Housing: SU303F Polished & Passivated
 Center Contact: Beryllium Copper Gold Plated
 Insulators: PTFE&PEI

MicrowaveTown

PROPRIETARY INFORMATION: THE INFORMATION IN THIS DRAWING IS PROPRIETARY AND SHALL NOT BE USED OR DISCLOSED WITHOUT PRIOR WRITTEN PERMISSION FROM MICROWAVETOWN



UNIT
mm

TITLE
TNC Adapter

DWG NO.
Z545411Z01

LTR	DESCRIPTION	DATE	APPR.

DRAWN	Haimin Zhang
CHECKED	Gang Cao
APPR.	Donald Wu

UNLESS OTHERWISE SPECIFIED:
 1. FINISH: ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE SPECIFIED.
 2. DIMENSIONS ON COMMON CENTERS TO BE CONCENTRIC WITHIN 0.1.
 3. DIMENSIONS ON COMMON CENTERS TO BE CONCENTRIC WITHIN 0.1.
 4. ALL DIMENSIONS ARE AFTER PLATING. SURFACE FINISH: R0.4

DO NOT SCALE DRAWING

SIZE	A4_h	SCALE:	1	REV.	V1.1	SHEET	1/1
------	------	--------	---	------	------	-------	-----

1 2

5 6